



Machinery Parts USA CORP.

4.938 Inch | 125.425 Millimeter x 2.50 in x 24.75 in TIMKEN SDAF 22628 Pillow Block Bearings



Bearing No. SDAF 22628

SDAF 22628 Bearing 2D drawings and 3D CAD models

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	140.74
EAN	0087796311299
Product Group	M06288
Number of Mounting Holes	4
Mounting Method	Tapered Adapter Sleeve
Housing Style	4 Bolt Pillow Block
Rolling Element	Spherical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	1-1/8 Inch
Relubricatable	Yes
Insert Part Number	22328K
Seals	Triple Ring Labyrinth
Housing Configuration	2 Piece Split
Inch - Metric	Inch
Other Features	Double Row Heavy Duty
Long Description	4 Bolt Pillow Block; 4-15/16" Bore; 7-1/16" Base to Center Height; Tapered Adapter Sleeve Mount; Spherical Roller Bearing; 19-3/8" Minimum Bolt Spacing; 21-5/8" Bolt Spacing Maximum



Machinery Parts USA CORP.

Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.timken.com
Manufacturer Item Number	SDAF 22628
Weight / LBS	310
Bolt Spacing Maximum	21.625 Inch 549.275Millimeter
Bolt Spacing Minimum	19.375 Inch 492.125Millimeter
B	7.063 Inch 179.4 Millimeter
Actual Bolt Center to Center	0 Inch 0Millimeter
Nominal Bolt Center to Center	20.5 Inch 520.7 Millimeter
d	4.938 Inch 125.425 Millimeter
D	9.625 Inch 244.475 Millimeter
Diameter S-1	4 15/16 in
A	7.0625 in
B	24.75 in
C	9.000 in
D	2.50 in
E Max.	21.6250 in
E Min.	19.3750 in
F	5.5 in
H ¹	14.2500 in
Oil Level K	2.6875 in
L ²	9.6250 in
Y	3.0781 in



Machinery Parts USA CORP.

No. of Base Bolts Required	4
Size of Base Bolts Required	1.125 in
Adapter Assembly Number ³	SNW-128 x 4-15/16
Housing Only ⁴	SDAF628
Bolt Hole Length	2.25 in
Bolt Hole Width	1.125 in
Assembly Weight	310.000 lb
Triple Seal 2 Req ' d	LOR 122
Full Timken Part Number	SDAF22628